ART CITY NURSING AND REHAB 321 EAST 800 SOUTH SPRINGVILLE UT 84663 STATE'S REGION CODE: 001

PROVIDER #: 465130 FACILITY BEDS TYPE ACTION: RECERTIFICATION PHONE NUMBER: (801) 489-9461 TOTAL: 55

PARTICIPATION DATE: 09/11/1992 CERTIFIED: 55 TYPE OWNERSHIP: FOR PROFIT - CORPORATION

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT CENSUS ON 07/03/2002						N/SUSPENSION D			TOTAL CERTIFIED BEDS: 55		
TOTAL: 34 MEDICARE: 0 MEDICAID: 25 OTHER: 9				ADMISSION SUSPENDED: SUSPENSION RESCINDED:					18 18/19 19 ICF/MR 55		
CURRENT S	SURVEY F	REVISIT D	ATES - 10/01	/2002	08/29/2002						
	CODE SU		, -	- , -	CURRENT S/S SURVEY CODE 07/03/2002	PLAN/DATE OF CORRECT		PR	OGRAM REQUIREMENTS		
X X	E E				X C D	08/29/2002	REQ	F0241-D	IGHT TO BE FREE FROM PHYSICAL RESTRAINTS NOT REQ IGNITY AFF/CLEAN/COMFORTABLE/HOMELIKE ENVIRONMENT		
A		X	D		X C B X C E	08/29/2002 08/29/2002	REQ REQ	F0276-QUARTERLY REVIEW OF ASSESSMENTS F0281-SERVICES PROVIDED MEET PROFESSIONAL STANDARDS F0309-PROVIDE NECESS CARE FOR HIGHEST PRAC WELL BEING			
X X X	G E E						REQ REQ REQ	F0314-PROPER TREATMENT TO PREVENT/HEAL PRESSURE SORES F0318-RANGE OF MOTION TREATMENT & SERVICES F0323-FACILITY IS FREE OF ACCIDENT HAZARDS F0325-RES MAINTAIN NUTRITIONAL STATUS UNLESS UNAVOIDABL F0329-DRUG REGIMEN IS FREE FROM UNNECESSARY DRUGS F0363-MENUS MEET NUTRIT NEEDS/PREP IN ADVANCE/FOLLOWED F0364-FOOD PROPERLY PREPARED, PALATABLE, ETC. F0367-THERAPEUTIC DIET PRESCRIBED BY PHYSICIAN			
X X X	E D E	Х	D		хс н	08/29/2002	REQ REQ REQ REQ				
X X X	E E D		Х	D	X C D X C E	08/29/2002 10/01/2002	REQ REQ REQ REQ	F0368-FREQUENCY OF MEALS/INTERVALS BETWEEN MEALS F0371-STORE/PREPARE/DISTRIB F00D UNDER SANITARY CONDS F0426-FACILITY PROVIDES PHARMACEUTICAL SERVICES F0441-FACILITY ESTABLISHES INFECTION CONTROL PROG F0468-CORRIDORS HAVE FIRMLY SECURED HANDRAILS			
			Х	D	X C H X C E X C E X C D	08/29/2002 08/29/2002 08/29/2002 08/29/2002	REQ REQ	F0502-F2 F0514-C	ACIL ADMINISTERED EFFECTIVELY TO OBTAIN HIGHEST ACIL PROVIDES/OBTAINS LAB SERVICES LINICAL RECORDS MEET PROFESSIONAL STANDARDS ACILITY MAINTAINS QA COMMITTEE		
EDITION C	OF LSC F	APPLIED			хс н	08/29/2002	REQ	F0521-Q	A COMMITTEE MEETS QTRLY/DEVELOPS/IMPLEMENTS PLAN		
PRIOR 3 SURVEY	85 EXIST 85 EXIST 85 EXIS PRIOR 3 PRIOR 2 PRIOR 1 SURVEY SURVEY SURVEY 05/1999 05/2000 08/2001			OF 0	PLAN/DATE CORRECTION LSC DEFI			CCIENCIES - BLDG NO. 01			
X	X		X N X C	0.	7/05/2002	K0044-HORIZONTAL EXIT K0050-FIRE DRILLS K0056-AUTOMATIC SPRINKLER SYSTEM K0062-SPRINKLER SYSTEM MAINTENANCE K0069-COOKING EQUIPMENT K0076-MEDICAL GAS SYSTEM					
Α	Χ		хс		7/05/2002						
Х	X	X	X N X C	0.	7/23/2002		K0104-PENETRATIONS OF SMOKE BARRIERS K0130-OTHER				
TYPE OF DEFICIENCY				SI	URRENT URVEY	PRIOR 1 SURVEY	St	RIOR 2 JRVEY	PRIOR 3 SURVEY		
CONDITION REQUIREMENT HEALTH TOTAL					0 11 11	0 2 2		0 2 2	0 12 12		
LIFE SAFETY CODE LIFE SAFETY CODE + HEALTH					5 16	2 4		5 7	3 15		

COMPLAINT SURVEY INFORMATION

SURVEY DATE STATUS 01/31/2001 SUBSTANTIATED 05/30/2001 UNSUBSTANTIATED 05/20/2002 SUBSTANTIATED 07/03/2002 UNSUBSTANTIATED 07/03/2002 UNSUBSTANTIATED

FMS SURVEY INFORMATION

 * NO FMS SURVEYS FOR THIS FACILITY

C=DATE OF CORRECTION N=NO DATE GIVEN P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED X=DEFICIENT COP = CONDITION REQ = REQUIREMENT